
Motorcycle Batteries

VMF Powersport Motorcycle Batteries

Whether you own a motorcycle or a chopper, VMF has the right battery for your vehicle. Both rides through the countryside and around a racetrack are possible with our high-quality batteries since nobody wants to have a sudden breakdown in the middle of the road.

Features:

- Maintenance-free
- High vibration resistance



	Part Number	Voltage	Capacity (Ah)	CCA (EN)	Dimensions (mm) L x W x H	Weight (Kg)	Layout/ Terminal
Deep Cycle	6N6-3B BS	6V	6Ah	40 EN	98 x 57 x 110	1.1	3
	6N6-3B-1 BS	6V	6Ah	40 EN	98 x 57 x 110	1.1	3
	B39-6 BS	6V	7Ah	70 EN	125 x 47 x 126	1.4	0
	B49-6 BS	6V	10Ah	90 EN	89 x 82 x 161	1.5	1
	6CB8-3B BS	6V	8Ah	83 EN	120 x 70 x 95	1.35	3
	6N11-2D BS	6V	11Ah	130 EN	150 x 47 x 95	1.8	1
	6N11A-4A BS	6V	11Ah	130 EN	121 x 60 x 131	1.8	0
	6N11A-1B BS	6V	11Ah	130 EN	121 x 60 x 131	1.8	0
	6N11A-3A BS	6V	11Ah	130 EN	121 x 60 x 131	1.8	3
	6N12A-2D BS	6V	12Ah	155 EN	156 x 57 x 116	1.8	1
	B38-6A BS	6V	13Ah	120 EN	116 x 81 x 158	2.0	0
	CB2-6	6V	22Ah	200 SAE	110 x 96 x 212	4.1	1
	YB3L-A BS	12V	3Ah	42 EN	98 x 56 x 110	1.15	0
	YB3L-B BS	12V	3Ah	42 EN	98 x 56 x 110	1.15	0
	YB4L-B BS	12V	4Ah	45 EN	120 x 70 x 92	1.55	0
	MF YTX5L BS	12V	4Ah	80 EN	112 x 70 x 104	1.8	0
	MF YTX4L BS	12V	3Ah	50 EN	112 x 70 x 85	1.4	0
	YB4L-A BS	12V	4Ah	45 EN	120 x 70 x 92	1.55	0
	YB5L-B BS	12V	5Ah	60 EN	120 x 61 x 128	1.9	0
	12N5-4B BS	12V	5Ah	52 EN	120 x 61 x 128	1.9	1
	CB5L-A BS	12V	5Ah	55 SAE	120 x 61 x 128	1.9	0
	12N5.5-4B BS	12V	5,5Ah	78 EN	137 x 61 x 129	2.0	1
	12N5.5-3B BS	12V	5,5Ah	78 EN	137 x 61 x 129	2.0	0
	12N5.5A-3B BS	12V	5,5Ah	57 EN	103 x 90 x 114	2.0	0
	MF YTX7L BS	12V	6Ah	100 EN	112 x 70 x 130	2.3	0
	MF YTX7A BS	12V	6Ah	105 EN	150 x 87 x 94	2.4	1
	FA YTX7A	12V	6Ah	105 EN	150 x 87 x 95	2.48	1
	12N7-4B BS	12V	8Ah	117 EN	135 x 75 x 133	2.35	1
	YB7L-B BS	12V	8Ah	105 EN	135 x 75 x 133	2.65	0
	FA CTZ7-S	12V	6Ah	130 EN	113 x 70 x 105	2.0	0
	YB7L-A BS	12V	8Ah	105 EN	135 x 75 x 133	2.65	0
	YB7C-A BS	12V	8Ah	104 EN	130 x 90 x 114	2.65	0
	MF YTX9 BS	12V	8Ah	135 EN	150 x 87 x 106	2.9	1
	YB7-A BS	12V	8Ah	105 EN	135 x 75 x 133	2.65	1
	YB9-B BS	12V	9Ah	115 EN	135 x 75 x 139	3.1	1

Motorcycle Batteries

Deep Cycle

Part Number	Voltage	Capacity (Ah)	CCA (EN)	Dimensions (mm) L x W x H	Weight (Kg)	Layout/ Terminal
YB9L-B BS	12V	9Ah	115 EN	135 x 75 x 139	3.1	0
YB9L-A2 BS	12V	9Ah	115 EN	135 x 75 x 139	3.1	0
FA YB9-B	12V	9Ah	108 EN	135 x 76 x 139	3.17	1
YTX9A BS	12V	9Ah	108 EN	135 x 76 x 139	3.16	1
FA CTZ10-S	12V	8,6Ah	190 EN	150 x 87 x 93	2.9	1
CB9A-A BS	12V	9Ah	115 EN	135 x 75 x 155	3.1	1
MF YTX12A BS	12V	10Ah	160 EN	150 x 87 x 106	3.2	1
FA YTX12A	12V	10Ah	160 EN	151 x 87 x 106	3.6	1
MF YTX12 BS	12V	10Ah	180 EN	150 x 87 x 131	3.55	1
CB10A-A2 BS	12V	11Ah	120 EN	135 x 90 x 152	3.3	1
YB10L-A2 BS	12V	11Ah	120 EN	135 x 90 x 145	3.3	0
YB10L-B2 BS	12V	11Ah	120 EN	135 x 90 x 145	3.3	0
YB12A-A/12N12A-4A-1 BS	12V	12Ah	150 EN	134 x 80 x 160	3.8	1
YB12B-B2 BS	12V	13Ah	155 EN	160 x 90 x 130	3.8	1
YB12AL-A2 BS	12V	12Ah	150 EN	134 x 80 x 160	3.8	0
MF YTX14 BS	12V	12Ah	200 EN	150 x 87 x 146	4.5	1
YB12A-B BS	12V	12Ah	150 EN	134 x 80 x 160	3.8	1
YB12AL-A BS	12V	12Ah	150 EN	134 x 80 x 160	3.8	0
FA YB12AL-A2	12V	12Ah	135 EN	134 x 80 x 160	4.18	0
YB12C-A BS	12V	13Ah	150 EN	134 x 80 x 175	3.6	1
MF YTX15L BS	12V	13Ah	230 EN	175 x 87 x 130	4.3	0
FA YTX15L	12V	13Ah	230 EN	175 x 87 x 130	5.06	0
MF YTX16 BS	12V	14Ah	230 EN	150 x 87 x 161	4.85	1
MF YTX16-BS-1	12V	14Ah	230 EN	150 x 87 x 161	4.85	1
YB14L-A2 / 12N14-3A BS	12V	14Ah	175 EN	134 x 89 x 166	4.2	0
YB14-A2 BS	12V	14Ah	175 EN	134 x 89 x 166	4.2	1
YB14L-B2 BS	12V	14Ah	175 EN	134 x 89 x 166	4.2	0
YB14-B2 BS	12V	14Ah	175 EN	134 x 89 x 166	4.2	1
FA YTX16	12V	14Ah	230 EN	150 x 88 x 161	5.3	1
FA YB14-A2	12V	13Ah	220 EN	134 x 89 x 166	5.02	1
FA YB14L-A2 / 12N14-3A	12V	13Ah	220 EN	134 x 89 x 166	5.02	0
MF YTX14AH BS	12V	13Ah	220 EN	134 x 89 x 166	4.6	1
MF YTX14AHL BS	12V	13Ah	220 EN	134 x 89 x 166	4.6	0
CB14A-A1 BS	12V	14Ah	175 EN	134 x 89 x 176	4.3	1
YB14A-A2 BS	12V	14Ah	175 EN	134 x 89 x 176	4.3	1
HCB16A-A BS	12V	16Ah	182 EN	150 x 90 x 179	5.1	1
YB16AL-A2 BS	12V	16Ah	210 EN	204 x 70 x 163	5.1	0
CB16B-A/A1 BS	12V	16Ah	215 EN	160 x 90 x 161	5.1	1
MF YTX20L BS	12V	18Ah	242 EN	175 x 87 x 155	5.8	0
MF YTX20 BS	12V	18Ah	270 EN	175 x 87 x 155	5.8	1
MF YTX20HL BS	12V	18Ah	270 EN	175 x 87 x 155	6.0	0
MF YTX20CH BS	12V	18Ah	250 EN	150 x 87 x 161	5.3	1
YB18-A BS	12V	18Ah	215 EN	180 x 90 x 162	5.8	1
FA YTX20	12V	18Ah	270 EN	175 x 87 x 154	5.91	1
FA YTX20CH	12V	18Ah	250 EN	150 x 87 x 161	5.8	1
YB18L-A BS	12V	18Ah	215 EN	180 x 90 x 162	5.8	0
FA YB18-A	12V	18Ah	270 EN	175 x 87 x 154	6.31	1
YB16L-B BS	12V	19Ah	215 EN	175 x 100 x 155	5.4	0
YB16-B BS	12V	19Ah	215 EN	175 x 100 x 155	5.4	1

Motorcycle Batteries

Deep Cycle

Part Number	Voltage	Capacity (Ah)	CCA (EN)	Dimensions (mm) L x W x H	Weight (Kg)	Layout/ Terminal
12Y16A-3B BS	12V	20Ah	247 EN	183 x 81 x 170	5.8	0
YB16CL-B BS	12V	19Ah	240 EN	175 x 100 x 175	5.5	0
CB16HL-A-CX BS	12V	19Ah	215 EN	175 x 100 x 155	5.4	0
CB16-B-CX BS	12V	19Ah	215 EN	175 x 100 x 155	5.4	1
FA YB16L-B	12V	19Ah	210 EN	175 x 101 x 157	7.02	0
FA YB16-B	12V	19Ah	210 EN	175 x 101 x 157	7.02	1
FA 12Y16A-3B	12V	21Ah	230EN	181 x 78 x 173	6.06	0
Y50-N18A-A BS	12V	20Ah	240 EN	205 x 90 x 176	6.1	1
Y50-N18L-A2-BS	12V	20Ah	240 EN	205 x 90 x 160	6.1	0
Y50-N18L-A3 BS	12V	20Ah	240 EN	205 x 90 x 160	6.1	0
FA Y50-N18L-A2	12V	21Ah	340 EN	206 x 89 x 162	7.5	0
12N24-4 BS	12V	24Ah	293 EN	185 x 125 x 167	7.2	1
12N24-3 BS	12V	24Ah	293 EN	185 x 125 x 167	7.2	0
Y60-N30L-A BS	12V	28Ah	280 EN	183 x 128 x 170	8.3	0
Y60-N24AL-B BS	12V	24Ah	260 EN	183 x 124 x 170	7.8	0
YB30L-B BS	12V	30Ah	320 EN	168 x 132 x 176	8.5	0
YB30CL-B BS	12V	30Ah	320 EN	168 x 132 x 190	8.5	0
MF YIX30L BS	12V	28Ah	370 EN	168 x 127 x 177	9.3	0
FA YB30CL-B	12V	30Ah	450 EN	167 x 131 x 180	10.15	0
12V 32Ah (6MK5) Dry	12V	32Ah	390 EN	233 x 132 x 168	6.2	0
YHD4-12 BS	12V	28Ah	280 EN	202 x 131 x 163	8.4	1

VMF Batteries offer multi-position, leak-free application energy solutions that are simple, safe and maintenance-free.

Benefits

- Versatile: suited for both stationary and cyclic applications.
- Simple: can be installed in any position.
- Safe: can be installed in any normal ventilated area.
- Absorbed Electrolyte: No leaking, even in the event of damage.
- Maintenance-free: recombination ensures there is no need to ever replenish.
- Exceptional starting power up to 30% more than traditional batteries
- Robust design making batteries vibration and shock proof
- High resilience to deep and repeated discharge
- Long-life built into every battery

